

MODEL FD, AWWA C509/C515

FULL WALL DUCTILE


Model FD AWWA Availability Listing										
Size	FLxFL	FLxFL 250 PSI	GRxGR	IPSxIPS	MJxFL	MJxFL TAPPING	MJxMJ	MJxMJ CUT-IN	POxPO	POxFL
2"				X*						
2.5"	X*									
3"	X		X		X	X	X			
4"	X	X	X		X	X	X		X	X
6"	X	X	X		X	X	X	X	X	X
8"	X	X	X		X	X	X	X	X	X
10"	X	X			X	X	X	X	X	X
12"	X	X			X	X	X	X	X	X
14"	X				X		X			
16"	X				X		X		X	X
* Sizes below 3" not included in AWWA Standards										

Type	SAV Ref. #	Size	Weight		Price	
			kg	lb	US \$	
Model FD/FFN FULL WALL DUCTILE FL X FL To AWWA C509/C515 125 lb. Flange Flanged ends to ASME B 16.42 Class 150 NRS Ductile iron 250 PSI Size 2.5"-16" * ** For 2" FLxFL see Series 25	FD-065-FFN	2.5"	17	38	875	
	FD-080-FFN	3"	19	42	1,039	
	FD-100-FFN	4"	29	63	1,161	
	FD-150-FFN	6"	44	97	1,551	
	FD-200-FFN	8"	70	154	2,425	
	FD-250-FFN	10"	122	269	3,851	
	FD-300-FFN	12"	186	409	4,651	
	FD-350-FFN*	14"	281	620	14,501	
	FD-400-FFN*	16"	358	790	15,729	
	* 14"- 36" discount applies					
Model FD/FFH FULL WALL DUCTILE FL X FL To AWWA C509/C515 250 lb. Flange Flanged ends to ASME B 16.42 Class 250 NRS Ductile iron AWWA 250 PSI CWP 350 PSI Size 4"-12"	FD-100-FFH	4"	41	91	3,900	
	FD-150-FFH	6"	73	161	4,335	
	FD-200-FFH	8"	111	244	5,783	
	FD-250-FFH	10"	166	366	9,390	
	FD-300-FFH	12"	245	541	10,548	
Model FD/MFN FULL WALL DUCTILE MJ X FL To AWWA C509/C515 Mechanical joint end X Flanged end ASME B 16.42 Class 150 NRS Ductile Iron 250 PSI Size 3"-16"					less MJ accessories	
	FD-080-MFN	3"	20	43	995	
	FD-100-MFN	4"	28	62	1,119	
	FD-150-MFN	6"	47	103	1,495	
	FD-200-MFN	8"	71	155	2,335	
	FD-250-MFN	10"	109	240	3,709	
	FD-300-MFN	12"	153	337	4,479	
	FD-350-MFN*	14"	381	840	14,501	
	FD-400-MFN*	16"	372	820	15,729	
	* 14"- 36" discount applies					
Model FD/MFT FULL WALL DUCTILE MJ X TAP To AWWA C509/515 Mechanical joint end X Flanged end for tapping sleeves Class 150 NRS Ductile Iron 250 PSI Size 4"-12"					less MJ accessories	
	FD-100-MFT	4"	32	71	1,477	
	FD-150-MFT	6"	53	117	2,085	
	FD-200-MFT	8"	79	174	3,097	
	FD-250-MFT	10"	120	265	4,669	
	FD-300-MFT	12"	182	401	7,051	
Model FD/GGN IPS GR X GR Ductile iron body Grooved ends (IPS) To AWWA C606 Ductile iron NRS 250 PSI Size 3"-8"	FD-080-GGN	3"	16	35	591	
	FD-100-GGN	4"	21	46	755	
	FD-150-GGN	6"	40	87	1,165	
	FD-200-GGN	8"	61	133	1,710	

Type

**Model FD/MMN
FULL WALL DUCTILE
MJ X MJ To AWWA C509/C515**

Mechanical joint ends NRS
Ductile iron
NRS
250 PSI
Size 4"-16" *
* For 2" MJxMJ see Series 25



SAV Ref. #

Size

**Weight
kg lb**

**Price
US \$**


less MJ accessories

FD-080-MMN	3"	20	43	1,049
FD-100-MMN	4"	28	62	1,171
FD-150-MMN	6"	47	103	1,495
FD-200-MMN	8"	71	155	2,379
FD-250-MMN	10"	109	240	3,709
FD-300-MMN	12"	153	337	4,693
FD-350-MMN*	14"	360	794	14,501
FD-400-MMN*	16"	363	800	15,729

*** 14"- 36" discount applies**

**Model FD/MMC
FULL WALL DUCTILE
MJ Cut-In Valve
To AWWA C509/C515**

Mechanical joint ends
for cut-in NRS
250 PSI
Size 4"-12"




less MJ accessories

FD-100-MMC	4"	28	62	1,647
FD-150-MMC	6"	47	103	2,033
FD-200-MMC	8"	70	155	3,155
FD-250-MMC	10"	109	240	4,751
FD-300-MMC	12"	153	337	5,931

**Model FD/PFN
FULL WALL DUCTILE
PO X FL To AWWA C509/C515**

Push-on joint end X Flanged end to
ASME B 16.42
Class 150 NRS
Ductile Iron
250 PSI
Size 4"-12"&16"



w/o gasket


FD-100-PFN	4"	27	59	1,181
FD-150-PFN	6"	45	98	1,557
FD-200-PFN	8"	70	154	2,459
FD-250-PFN	10"	105	232	3,867
FD-300-PFN	12"	163	358	4,757
FD-400-PFN*	16"	363	800	15,729

Gaskets not included with DIP PO Valves

*** 14"- 36" discount applies**

**Model FD/PPN
FULL WALL DUCTILE
PO X PO To AWWA C509/C515**

Push-on joint
ends NRS
Ductile Iron
250 PSI
Size 4"-12"&16"



w/o gasket

FD-100-PPN	4"	26	57	1,203
FD-150-PPN	6"	44	97	1,583
FD-200-PPN	8"	71	157	2,403
FD-250-PPN	10" *	103	227	3,881
FD-300-PPN	12" *	178	391	4,865
FD-400-PPN*	16"	446	982	15,729


Gaskets not included with DIP PO Valves

* Special gaskets available for 10" & 12" IPSxIPS

*** 14"- 36" discount applies**

**Model FD/IIN
FULL WALL DUCTILE
IPS X IPS**

Push-on joint ends
for PVC pipes
NRS
Ductile Iron
250 PSI
Size 2"



FD-050-IIN	2"	8	18	763
------------	----	---	----	-----